Copy of the Pending Claims:

This listing of claims is a courtesy copy of the pending claims. No amendments have been made in this Reply.

Listing of Claims:

- 1 1. (previously presented) A method for selecting a core network for a 2 communication device comprising the steps of: 3 receiving at least one public land mobile network identifier (PLMNid); 4 selecting a PLMNid to form a selected public land mobile network identifier; 5 setting an indicator to indicate whether a substitute public land mobile network is allowed; 6 7 determining whether the selected public land mobile network identifier 8 corresponds to a shared network; 9 forming a registration request message containing the selected public land 10 mobile network identifier; 11 including the indicator in the registration request message, if the selected public 12 land mobile network identifier corresponds to a shared network; and 13 transmitting the registration request message.
 - 2. (canceled)

- 1 3. (previously presented) A method according to claim 1 wherein the step of
- 2 selecting includes the communication device automatically choosing the selected public
- 3 land mobile network identifier according to the following priority levels:
- 4 (1) registered public land mobile network,
- 5 (2) home public land mobile network,
- 6 (3) user-controlled list of public land mobile networks,
- 7 (4) operator-controlled list of public land mobile networks,
- 8 (5) public land mobile networks with sufficient received signal quality in random order, and
- 10 (6) other public land mobile networks in order of received signal quality.
- 1 4. (previously presented) A method according to claim 3 wherein the step of setting
- 2 indicates that a substitute public land mobile network is allowed when the selected
- 3 public land mobile network identifier is selected at priority level (5).
- 1 5. (previously presented) A method according to claim 3 wherein the step of setting
- 2 indicates that a substitute public land mobile network is allowed when the selected
- 3 public land mobile network identifier is selected at priority level (6).

Application No. 10/680,690 March 2, 2007 Page 4 of 13

- 1 6. (previously presented) A method according to claim 1 wherein the step of
- 2 selecting includes the communication device presenting the at least one PLMNid to a
- 3 user according to the following priority levels:
- 4 (1) registered public land mobile network,
- 5 (2) home public land mobile network,
- 6 (3) user-controlled list of public land mobile networks,
- 7 (4) operator-controlled list of public land mobile networks,
- 8 (5) public land mobile networks with sufficient received signal quality in
- 9 random order, and
- 10 (6) other public land mobile networks in order of received signal quality.
- 1 7. (previously presented) A method according to claim 6 wherein the step of
- 2 selecting further includes:
- 3 receiving a selected public land mobile network identifier from the user.
- 1 8. (previously presented) A method according to claim 6 wherein the step of setting
- 2 comprises:
- 3 setting the indicator to indicate that a substitute public land mobile network is
- 4 disallowed.
- 1 9. (previously presented) A method according to claim 1 wherein the step of setting
- 2 comprises:
- 3 setting the indicator to indicate that a substitute public land mobile network is
- 4 disallowed.

Application No. 10/680,690 March 2, 2007 Page 5 of 13

- 1 10. (previously presented) A method for selecting a public land mobile network for a
- 2 communication device comprising the steps of:
- 3 receiving a registration request message;
- 4 extracting a selected public land mobile network identifier from the registration
- 5 request message; and
- 6 determining if the registration request message includes an indicator indicating
- 7 whether a substitute public land mobile network is allowed.
- 1 11. (previously presented) A method according to claim 10 further comprising the
- 2 steps of:
- determining a substitute public land mobile network, if the indicator indicates
- 4 that a substitute public land mobile network is allowed; and
- forwarding the registration request message to the substitute public land mobile
- 6 network.
- 1 12. (previously presented) A method according to claim 10 wherein the substitute
- 2 public land mobile network shares radio access resources with a core network indicated
- 3 by the selected core network identifier.
- 1 13. (previously presented) A method according to claim 10 wherein the substitute
- 2 public land mobile network is a co public land mobile re network indicated by the
- 3 selected public land mobile network identifier.
- 1 14. (previously presented) A method according to claim 10 wherein the substitute
- 2 public land mobile network is not a public land mobile network indicated by the
- 3 selected public land mobile network identifier.

Application No. 10/680,690 March 2, 2007 Page 6 of 13

- 1 15. (previously presented) A method according to claim 10 further comprising the
- 2 step of:
- forwarding the registration request message to a public land mobile network
- 4 identified by the selected public land mobile network identifier, if the indicator
- 5 indicates that a substitute public land mobile network is not allowed.
- 1 16. (previously presented) A method according to claim 10 further comprising the
- 2 step of:
- forwarding the registration request message to a public land mobile network
- 4 identified by the selected public land mobile network identifier, if the registration
- 5 request message does not include an indicator.
- 1 17. (original) A method for selecting a public land mobile network (PLMN) for user
- 2 equipment (UE) comprising the steps of:
- 3 receiving at least one PLMN identifier (PLMNid);
- 4 selecting a PLMNid to form a selected PLMNid;
- 5 setting an indicator to indicate whether a substitute PLMN is allowed;
- determining whether the selected PLMNid corresponds to a shared radio access
- 7 network (RAN);
- 8 forming a registration request message with the selected PLMNid;
- 9 including the indicator in the registration request message, if the selected
- 10 PLMNid corresponds to a shared RAN; and
- transmitting the registration request message from the UE.
- 1 18. (original) The method according to claim 17 wherein the step of setting
- 2 comprises:
- 3 setting the indicator to indicate that a substitute PLMN is disallowed when the
- 4 UE is in manual network selection mode.

- 1 19. (original) The method according to claim 17 wherein the step of setting
- 2 comprises:
- 3 setting the indicator to indicate that a substitute PLMN is disallowed when the
- 4 UE automatically selects a PLMNid that corresponds to a registered PLMN (RPLMN) of
- 5 the UE, a home PLMN (HPLMN) of the UE, a PLMN on a user-controlled list of
- 6 PLMNs, or a PLMN on an operator-controlled list of PLMNs.
- 1 20. (original) A method according to claim 17 further comprising the steps of:
- 2 receiving the registration request message at a radio access network (RAN);
- 3 extracting the selected PLMNid from the registration request message; and
- 4 determining if the registration request message includes the indicator.
- 1 21. (original) The method according to claim 20 further comprising the steps of:
- determining a substitute PLMN, if the indicator indicates that a substitute PLMN
- 3 is allowed; and
- 4 forwarding the registration request message to the substitute PLMN.
- 1 22. (original) The method according to claim 21 wherein the substitute PLMN shares
- 2 radio access resources with a PLMN indicated by the selected PLMNid.

- 1 23. (previously presented) A method for selecting a public land mobile network for a
- 2 communication device comprising the steps of:
- 3 receiving at least one public land mobile network identifier;
- 4 selecting a public land mobile network identifier to form a selected public land
- 5 mobile network identifier;
- 6 setting an indicator to indicate whether a substitute public land mobile network
- 7 is allowed;
- 8 forming a registration request message containing the selected public land
- 9 mobile network identifier;
- including the indicator in the registration request message; and
- transmitting the registration request message.
- 1 24. (previously presented) A method according to claim 6 wherein the priority level
- 2 (3) user-controlled list of public land mobile networks is presented in priority order.